d5460
SMALL PELAGIC PENDANT

PROJECT:
TYPE:
QUANTITY:
NOTES:

SPECIFICATION

CONSTRUCTION	Spun-aluminum shade
DIFFUSER	Acrylic diffuser
ACCENTS	Polished chrome trim, clamps and loops
CANOPY	5″ diameter black canopy
MOUNTING	Standard ceiling junction box
STEM[4]	Rigid ½″ diameter stem
FINISH	Metal or powder-coat paint
VOLTAGE	120V or 277V
LIGHT SOURCE	Dedicated LED or medium base socket
DIMMING DRIVER	0-10V dimming driver for dedicated LED
OVERALL HEIGHT	60″
SHADE DIMENSION	13.75″ diameter x 14.2″ height

DIMENSIONS



CANOPY OPTION

ORDERING INFORMATION

MODEL

- ☐ d5460



LAMPING

- ☐ L10[2] 10W LED | 1000 LUMENS | 90+ CRI
- ☐ L15[2] 12W LED | 1500 LUMENS | 90+ CRI
- ☐ L21[2] 16W LED | 2100 LUMENS | 90+ CRI
- ☐ L29[2] 22W LED | 2900 LUMENS | 90+ CRI
- ☐ L41[2] 29W LED | 4100 LUMENS | 90+ CRI
- ☐ MED[4] E26 MEDIUM BASE | 60W MAX

VOLTAGE

- ☐ 120[1]
- ☐ 277
- ☐ 120-277

FINISH

- ☐ AN METALLIC ANTHRACITE
- ☐ BG BLACK GLOSS
- ☐ BL METALLIC BLUE
- ☐ BR BRIGHT RED
- ☐ BZ METALLIC BRONZE
- ☐ CU METALLIC COPPER
- ☐ DR DAREDEVIL RED
- ☐ FG FUSION GREEN
- ☐ G1 LIGHT GRAY
- ☐ GM METALLIC GREEN
- ☐ MB MATTE BLACK
- ☐ MG METALLIC GRAY

OPTIONS

- ☐ DIM[3] 0-10V DIMMING DRIVER
- ☐ EMP[5] EXTERNAL EMERGENCY BALLAST

- ☐ PBB PAINTED BRASS
- ☐ PR MEDIUM BLUE
- ☐ RD METALLIC RED
- ☐ T2 MEDIUM TAN
- ☐ WH WHITE GLOSS
- ☐ YL BRIGHT YELLOW
- ☐ SCF _____

NOTES

1. FIXTURES ARE FACTORY PREWIRED FOR 120V UNLESS OTHERWISE SPECIFIED
2. 3000K IS THE STANDARD COLOR TEMPERATURE UNLESS OTHERWISE SPECIFIED; ALSO AVAILABLE IN 2700K, 3500K, AND 4000K
3. 0-10V DIMMING DRIVER; COMPATIBLE WITH DEDICATED LED LAMPING. CONTACT FACTORY FOR ADDITIONAL DIMMING CONTROLS
4. 120V ONLY. FIXTURE SUPPLIED LESS LAMPS; LAMPS MAY BE ORDERED FROM D'AC
5. EXTERNAL EMERGENCY BALLAST MUST BE INSTALLED OUTSIDE OF THE FIXTURE ASSEMBLY AND BE WIRED TO THE LED DRIVER
6. FOR MODIFICATIONS TO DIMENSIONS, ELECTRICAL REQUIREMENTS, AND OTHER SPECIAL ORDERS, PLEASE CONTACT YOUR D'AC REPRESENTATIVE

Phone: 203.775.0172
P.O. Box 165 | 20 Pocono Road | Brookfield CT 06804
dacLighting.com | *cs@dacLighting.com*

As part of d'ac's continuing efforts to improve the product line, fixtures may be modified or discontinued without prior notice